

STANLEY AP 92 SPECIAL CARE ENGINE CLEANER

Issue date: 18.05.2022 Version: 0.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : STANLEY AP 92 SPECIAL CARE ENGINE CLEANER

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

NUCLEUS INCORPORATED
13901 WILLARD RD, CHANTILLY, VA 20151
+1 703 988 7773

1.4. Emergency telephone number

For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
[1-800-424-9300](tel:1-800-424-9300)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

| | | |
|--|------|---|
| Flammable aerosols, Category 1 | H222 | Extremely flammable aerosol. |
| Skin corrosion/irritation, Category 2 | H315 | Causes skin irritation. |
| Skin sensitisation, Category 1 | H317 | May cause an allergic skin reaction. |
| Specific target organ toxicity — Single exposure, Category 3, Narcosis | H336 | May cause drowsiness or dizziness. |
| Specific target organ toxicity — Repeated exposure, Category 1 | H372 | Causes damage to organs through prolonged or repeated exposure. |

Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H222 - Extremely flammable aerosol.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H336 - May cause drowsiness or dizziness.

H372 - Causes damage to organs through prolonged or repeated exposure.

Precautionary statements (GHS US) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P260 - Do not breathe fume, gas, mist, spray, vapours.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective clothing, eye protection, face protection, protective gloves.

P302+P352 - If on skin: Wash with plenty of water.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

STANLEY AP 92 SPECIAL CARE ENGINE CLEANER

Issue date: 18.05.2022 Version: 0.0

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|---|--------------------|---------|---|
| stoddard solvent; Low boiling point naphtha—; unspecified; [A colourless, refined petroleum distillate that is free from rancid or objectionable odours and that boils in a range of approximately 148,8°C to 204,4 °C (300°F to 400°F).] (Note P) | CAS-No.: 8052-41-3 | 20 – 50 | STOT RE 1, H372 Asp. Tox. 1, H304 |
| n-hexane | CAS-No.: 110-54-3 | 10 – 30 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| (R)-p-mentha-1,8-diene; d-limonene (Note C) | CAS-No.: 5989-27-5 | 1 – 10 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 |
| Carbon dioxide | CAS-No.: 124-38-9 | 1 – 10 | Press. Gas (Comp.), H280 |

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note P: The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102)-P260-P262-P301 + P310-P331 shall apply.

Full text of hazard classes and H-statements : see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.



STANLEY AP 92 SPECIAL CARE ENGINE CLEANER

Issue date: 18.05.2022 Version: 0.0

First-aid measures after skin contact

: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse eyes with water as a precaution.

First-aid measures after ingestion

: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects

: May cause drowsiness or dizziness.

Symptoms/effects after skin contact

: Irritation. May cause an allergic skin reaction.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

: Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Fire hazard

: Extremely flammable aerosol.

Hazardous decomposition products in case of fire

: Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Mechanically recover the product.

Other information

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wear personal protective equipment.

STANLEY AP 92 SPECIAL CARE ENGINE CLEANER

Issue date: 18.05.2022 Version: 0.0

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities**Storage conditions**

: Protect from sunlight. Do not expose to temperatures exceeding 50 °C / 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****ENGINE CLEANER SPRAY**

No additional information available

stoddard solvent; Low boiling point naphtha—; unspecified; [A colourless, refined petroleum distillate that is free from rancid or objectionable odours and that boils in a range of approximately 148,8°C to 204,4 °C (300°F to 400°F).] (8052-41-3)**USA - ACGIH - Occupational Exposure Limits**

| | |
|----------------------|---|
| Local name | Stoddard solvent |
| ACGIH OEL TWA [ppm] | 100 ppm |
| Remark (ACGIH) | TLV® Basis: Eye, skin, & kidney dam; nausea; CNS impair |
| Regulatory reference | ACGIH 2020 |

USA - OSHA - Occupational Exposure Limits

| | |
|--------------------------------|--------------------------|
| Local name | Stoddard solvent |
| OSHA PEL TWA [1] | 2900 mg/m ³ |
| OSHA PEL TWA [2] | 500 ppm |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |

n-hexane (110-54-3)**USA - ACGIH - Occupational Exposure Limits**

| | |
|----------------------|--|
| Local name | n-Hexane |
| ACGIH OEL TWA [ppm] | 50 ppm |
| Remark (ACGIH) | TLV® Basis: CNS impair; peripheral neuropathy; eye irr. Notations: Skin; BEI |
| Regulatory reference | ACGIH 2020 |

USA - ACGIH - Biological Exposure Indices

| | |
|----------------------|--|
| Local name | n-HEXANE |
| BEI | 0.5 mg/l Parameter: 2,5-Hexanedione (without hydrolysis) - Medium: urine - Sampling time: End of shift |
| Regulatory reference | ACGIH 2020 |

USA - OSHA - Occupational Exposure Limits

| | |
|------------------|------------------------|
| Local name | n-Hexane |
| OSHA PEL TWA [1] | 1800 mg/m ³ |

STANLEY AP 92 SPECIAL CARE ENGINE CLEANER

Issue date: 18.05.2022 Version: 0.0

| | |
|---|--------------------------|
| n-hexane (110-54-3) | |
| OSHA PEL TWA [2] | 500 ppm |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| No additional information available | |
| Carbon dioxide (124-38-9) | |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Carbon dioxide |
| ACGIH OEL TWA [ppm] | 5000 ppm |
| ACGIH OEL STEL [ppm] | 30000 ppm |
| Remark (ACGIH) | TLV® Basis: Asphyxia |
| Regulatory reference | ACGIH 2020 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Carbon dioxide |
| OSHA PEL TWA [1] | 9000 mg/m ³ |
| OSHA PEL TWA [2] | 5000 ppm |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

| |
|--|
| Hand protection: |
| Protective gloves. EN 374. Chemically resistant protective gloves |
| Eye protection: |
| Safety glasses. EN 166 |
| Skin and body protection: |
| Wear suitable protective clothing |
| Respiratory protection: |
| In case of insufficient ventilation, wear suitable respiratory equipment |

Personal protective equipment symbol(s):



STANLEY AP 92 SPECIAL CARE ENGINE CLEANER

Issue date: 18.05.2022 Version: 0.0

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|--------------------------------|
| Physical state | : Gas |
| Appearance | : Liquid under pressure. |
| Colour | : Clear |
| Odour | : Slight. Fruity |
| Odour threshold | : No data available |
| pH | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Flammability (solid, gas) | : Extremely flammable aerosol. |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 0.758 g/cm³ |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive limits | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

STANLEY AP 92 SPECIAL CARE ENGINE CLEANER

Issue date: 18.05.2022 Version: 0.0

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

| | |
|---------------|---|
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) |
|---------------|---|

| | |
|-----------------------------------|--|
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

| | |
|------------|----------------------|
| IARC group | 3 - Not classifiable |
|------------|----------------------|

| | |
|-----------------------|--------------------------------------|
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : May cause drowsiness or dizziness. |

n-hexane (110-54-3)

| | |
|------------------------|---|
| STOT-single exposure | May cause drowsiness or dizziness. |
| STOT-repeated exposure | : Causes damage to organs through prolonged or repeated exposure. |

stoddard solvent; Low boiling point naphtha—; unspecified; [A colourless, refined petroleum distillate that is free from rancid or objectionable odours and that boils in a range of approximately 148,8°C to 204,4 °C (300°F to 400°F).] (8052-41-3)

| | |
|------------------------|---|
| STOT-repeated exposure | Causes damage to organs through prolonged or repeated exposure. |
|------------------------|---|

n-hexane (110-54-3)

| | |
|------------------------|--|
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
|------------------------|--|

| | |
|-------------------------------------|--|
| Aspiration hazard | : Not classified |
| Viscosity, kinematic | : No data available |
| Symptoms/effects | : May cause drowsiness or dizziness. |
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |

SECTION 12: Ecological information

12.1. Toxicity

| | |
|-------------------|---|
| Ecology - general | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
|-------------------|---|

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

| | |
|----------------------|--|
| LC50 - Fish [1] | 720 µg/l Test organisms (species): Pimephales promelas |
| EC50 - Crustacea [1] | 0.36 mg/l Test organisms (species): Daphnia magna |
| NOEC (chronic) | 0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d' |

STANLEY AP 92 SPECIAL CARE ENGINE CLEANER

Issue date: 18.05.2022 Version: 0.0

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on global warming : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

DOT NA No : UN1950
UN-No. (TDG) : UN1950
UN-No. (IMDG) : 1950
UN-No. (IATA) : 1950

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Aerosols
Proper Shipping Name (TDG) : AEROSOLS
Proper Shipping Name (IMDG) : AEROSOLS
Proper Shipping Name (IATA) : Aerosols, flammable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 2.1
Hazard labels (DOT) : 2.1



TDG

Transport hazard class(es) (TDG) : 2.1
Hazard labels (TDG) : 2.1



IMDG

Transport hazard class(es) (IMDG) : 2.1

STANLEY AP 92 SPECIAL CARE ENGINE CLEANER

Issue date: 18.05.2022 Version: 0.0

Danger labels (IMDG)

: 2.1

**IATA**

Transport hazard class(es) (IATA)

: 2.1

Danger labels (IATA)

: 2.1

**14.4. Packing group**

| | |
|----------------------|------------------|
| Packing group (DOT) | : Not applicable |
| Packing group (TDG) | : Not applicable |
| Packing group (IMDG) | : Not applicable |
| Packing group (IATA) | : Not applicable |

14.5. Environmental hazards

| | |
|-------------------|---|
| Other information | : No supplementary information available. |
|-------------------|---|

14.6. Special precautions for user**DOT**

| | |
|--|---|
| UN-No.(DOT) | : UN1950 |
| DOT Special Provisions (49 CFR 172.102) | : N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols. |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 306 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 75 kg |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 150 kg |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| DOT Vessel Stowage Other | : 25 - Protected from sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials |

TDG

| | |
|--|--|
| UN-No. (TDG) | : UN1950 |
| TDG Special Provisions | : 80 - Despite section 1.17 of Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases), a person must not offer for transport or transport these dangerous goods unless they are in a means of containment that is in compliance with the requirements for transporting gases in Part 5 (Means of Containment),107 - (1) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of UN1950, AEROSOLS, and UN2037, GAS CARTRIDGES, that contain dangerous goods included in Class 2.1 or Class 2.2 and that are transported on a road vehicle, a railway vehicle or a vessel on a domestic voyage, if the aerosols or gas cartridges have a capacity less than or equal to 50 mL. (2) Subsection (1) does not apply to self-defence spray. |
| Explosive Limit and Limited Quantity Index | : 1 L |



STANLEY AP 92 SPECIAL CARE ENGINE CLEANER

Issue date: 18.05.2022 Version: 0.0

Excepted quantities (TDG) : E0
Passenger Carrying Road Vehicle or Passenger : 75 L
Carrying Railway Vehicle Index
Emergency Response Guide (ERG) Number : 126

IMDG

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959
Packing instructions (IMDG) : P207, LP200
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES
EmS-No. (Spillage) : S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)
Stowage category (IMDG) : None

IATA

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg
Special provisions (IATA) : A145, A167, A802
ERG code (IATA) : 10L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information**15.1. US Federal regulations**

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

| Name | CAS-No. | Listing | Commercial status | Flags |
|---|-----------|-------------|-------------------|-------|
| stoddard solvent; Low boiling point naphtha—; unspecified; [A colourless, refined petroleum distillate that is free from rancid or objectionable odours and that boils in a range of approximately 148,8°C to 204,4 °C (300°F to 400°F).] | 8052-41-3 | Not present | - | |
| n-hexane | 110-54-3 | Present | Active | |
| (R)-p-mentha-1,8-diene; d-limonene | 5989-27-5 | Present | Active | |
| Carbon dioxide | 124-38-9 | Present | Active | |

n-hexane (110-54-3)

Subject to reporting requirements of United States SARA Section 313

Listed on EPA Hazardous Air Pollutant (HAPS)

| | |
|-----------|---------|
| CERCLA RQ | 5000 lb |
|-----------|---------|

STANLEY AP 92 SPECIAL CARE ENGINE CLEANER

Issue date: 18.05.2022 Version: 0.0

15.2. International regulations

CANADA

n-hexane (110-54-3)

Listed on the Canadian DSL (Domestic Substances List)

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

Carbon dioxide (124-38-9)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

n-hexane (110-54-3)

| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) | Maximum allowable dose level (MADL) |
|---|---|---|---|----------------------------------|--|
| No | No | No | Yes | | 28000 µg/day (oral); 20,000 µg/day (inhalation) |

| Component | State or local regulations |
|--------------------------|---|
| n-hexane(110-54-3) | U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List |
| Carbon dioxide(124-38-9) | U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List |

SECTION 16: Other information

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Full text of H-statements | |
|---------------------------|-------------------------------------|
| H222 | Extremely flammable aerosol. |
| H225 | Highly flammable liquid and vapour. |

STANLEY AP 92 SPECIAL CARE ENGINE CLEANER

Issue date: 18.05.2022 Version: 0.0

| Full text of H-statements | |
|----------------------------------|--|
| H226 | Flammable liquid and vapour. |
| H280 | Contains gas under pressure; may explode if heated. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H336 | May cause drowsiness or dizziness. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |

SDS US STANLEY

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.