


STANLEY® AP 90 SPECIAL CARE ANTI SPATTER WELDING SPRAY™



DESCRIPTION

STANLEY AP 90 SPECIAL CARE ANTI-SPATTER WELDING SPRAY is an advanced aerosol solution designed to protect materials and surfaces in the welding area from spattering during the welding process. This product ensures optimal performance during welding by preventing the build-up of spatter on welding equipment and surfaces. It effectively safeguards M.I.G gun nozzles, contact tips, accessories, and all welding zones during both single and multi-pass welding operations, ensuring cleaner and more efficient welds.

PRODUCT FEATURES

- **Anti-Adhesion Solution for Arc Welding:** Specially formulated to prevent the adhesion of weld spatter ("projections") on all treated surfaces.
- **Effective Protection:** Ideal for protecting M.I.G nozzles, welding units, tools, and other critical equipment during the welding process.
- **Non-Flammable After Use:** Once the solvent evaporates, the product becomes non-flammable, ensuring safer operation.

APPLICATIONS

- **Wide Application for Welding Processes:** Effectively prevents the adhesion of spatter particles to surrounding areas and surfaces during various welding operations.
- **Protects Key Equipment:** Ideal for use on nozzles, shrouds, torches, and other welding accessories to maintain cleanliness and efficiency.
- **Workplace Protection:** Helps protect workstations, jigs, and surrounding surfaces from weld spatter, reducing cleanup time.
- **Versatile Use in Automation:** Suitable for automatic and semi-automatic welding systems, as well as welding robots, ensuring consistent protection across different welding setups.

PRODUCT INFORMATION

PACKAGING	Net 13,5 Oz. / 240 gr / 400 ml
	12 pcs in box
SHELF LIFE	24 Month
STORAGE	At cool and dry ambient. 41°F to 86°F
SKU	SXAE0822-01

DIRECTIONS FOR USE

- **Preparation:** Shake the aerosol can vigorously before use to ensure proper mixing of the product.
- **Surface Cleaning:** Thoroughly clean all surfaces that require treatment to remove dirt, oil, or other contaminants.
- **Application:** Hold the can approximately 20-25 cm (8-10 inches) from the surface and spray the Anti-Spatter Spray evenly over the entire area to be protected.
- **Nozzle Application:** Before beginning welding, spray a small amount of Anti-Spatter Spray into the welding nozzle. Reapply as necessary during the welding process.
- **Workplace Protection:** Spray the surrounding area of the welding point to protect work surfaces, jigs, and other nearby materials from spatter.

LIMITATIONS

- **Storage:** Keep the packaging tightly closed when not in use. Store in a cool, dry place between 41°F and 86°F to maintain product effectiveness.
- **Safety Precautions:**
 - Avoid direct contact with hands, body, face, and food.
 - In case of eye contact, rinse immediately with plenty of water and seek medical attention.
 - If the product comes into contact with skin, wash thoroughly with water.
- **Fire and Heat Hazard:**
 - Do not expose to open flames or sources of heat.
 - Do not burn or puncture the can. May explode if thrown into fire.
 - Avoid temperatures above 122°F to prevent product degradation or hazardous reactions.
 - Do not spray near hot surfaces, flames, or incandescent objects.



Scan the QR Code to see the full line of Stanley Products

KEY FEATURES

- PROTECT MATERIALS AND SURFACES
- PREVENTS SPATTERS BUILD-UP
- KEEPS TIPS AND NOZZLES CLEAN





STANLEY® AP 90 SPECIAL CARE ANTI SPATTER WELDING SPRAY™

- **Usage:**
- Test before use to ensure compatibility with your materials.
- Keep the product out of reach of children.
- Always read and follow the instructions for safe and effective use.

TECHNICAL DATA

Form	Liquid aerosol
Appearance	Clear
Base	Silicone
Specific gravity	0,63± 0,01 gr/cm ³
Odor	Characteristic
Flash Point	N/A

SAFETY

Ensure good ventilation of the work station. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Store in a well-ventilated place. Keep cool. Check MSDS guidelines for disposal and further information concerning safety. Keep out of reach of children.

DISCLAIMER

The technical data contained herein is based on our present knowledge and experience and we cannot be held liable for any errors, inaccuracies, omissions, or editorial failings that result from technological changes or research between the date of issue of this document and the date the product is acquired. Before using the product, the user should carry out any necessary tests to ensure that the product is suitable for the intended application. Moreover, all users should contact the seller or the manufacturer of the product for additional technical information concerning its use if they think that the information in their possession needs to be clarified in any way, whether for normal use or a specific application of our product. Our guarantee applies within the context of the statutory regulations and provisions in force, current professional standards and in accordance with the stipulations set out in our general sales conditions. The information detailed in the present technical data sheet is given by way of indication and is not exhaustive. The same applies to any information provided verbally by telephone to any prospective or existing customer.

25.03.2025 rev.1